

Stoke Row CE School



POLICY STATEMENT ON ILLNESS

Document Approval Record

Committee	Finance, Health & Safety
Chair of Committee	Kerrie Blaker
Approval Date	18 th June 2018
Review Date	June 2021
	Annual? N

Stoke Row CE School Illness Policy

'Shine like stars and become light in our world'

At Stoke Row School we aim for our children to have the brightest futures, each one nurtured individually to be a guiding light with a unique sparkle.

We teach on another to live with kindness and respect.

We help our children to understand that with courage and perseverance they can excel.

These policies are all created in line with the Christian foundation of this school which is expressed through our five core values and our view that every child is unique and valued.

Contents

1. Introduction	2
2. Responsibilities.....	2
3. NHS Guidelines taken from the NHS website	3
Chickenpox	3
Cold sores.....	3
Conjunctivitis.....	3
Coughs and colds	3
Ear infection.....	4
Fever	4
Hand, foot and mouth disease	4
Head lice and nits.....	4
Impetigo	4
Ringworm	4
Scarlet fever	4
Slapped cheek syndrome (fifth disease)	4
Sore throat.....	5
Threadworms	5
Vomiting and diarrhoea	5

1.Introduction

The aim of this policy is to ensure that children who are not well are cared for appropriately.

2.Responsibilities

The school requires that parents/carers inform the office if their child has been unwell. Parents/carers can email, telephone or use Parentmail to do this. Parents/carers have to inform the school office every day their child is off even if the reason has not changed.

If a child has suffered from vomiting or diarrhoea, he/she should not attend school for at least 48 hours after symptoms have gone.

If a child has a contagious disease, he/she should not attend school. The school holds a list of contagious diseases and appropriate exclusion times and will advise parents accordingly. If the school finds that a child is suffering from a contagious disease, the school will inform the parents.

The school will send home any child who is not well enough to attend school.

For children who require medication to be administered, see Medication policy.

Please inform the school if your child has headlice, threadworms, slapped cheek syndrome and chickenpox. So that other parents/carers can be warned.

3.NHS Guidelines taken from the NHS website

<https://www.nhs.uk/Livewell/Yourchildatschool/Pages/Illness.aspx>

Chickenpox

If your child has chickenpox, keep them off school until all the spots have crusted over.

This is usually about 5 days after the spots first appeared.

Cold sores

There's no need to keep your child off school if they have a cold sore.

Encourage them not to touch the blister or kiss anyone while they have the cold sore, or to share things like cups and towels.

Conjunctivitis

You don't need to keep your child away from school if they have conjunctivitis. Do get advice from your pharmacist. Encourage your child not to rub their eyes and to wash their hands regularly.

Coughs and colds

It's fine to send your child to school with a minor cough or cold. But if they have a fever, keep them off school until the fever goes.

Encourage your child to throw away any used tissues and to wash their hands regularly.

Ear infection

If your child has an ear infection and a fever or severe earache, keep them off school until they're feeling better or their fever goes away.

Fever

If your child has a fever, keep them off school until the fever goes away.

Hand, foot and mouth disease

If your child has hand, foot and mouth disease but seems well enough to go to school, there's no need to keep them off.

Encourage your child to throw away any used tissues straight away and to wash their hands regularly.

Head lice and nits

There's no need to keep your child off school if they have head lice.

Impetigo

If your child has impetigo, they'll need antibiotic treatment from the GP.

Keep them off school until all the sores have crusted over and healed, or for 48 hours after they start antibiotic treatment.

Encourage your child to wash their hands regularly and not to share towels, cups and so on with other children at school.

Ringworm

If your child has ringworm, see your pharmacist unless it's on their scalp, in which case you should see the GP.

It's fine for your child to go to school once they have started treatment.

Scarlet fever

If your child has scarlet fever, they'll need treatment with antibiotics from the GP. Otherwise they'll be infectious for 2 to 3 weeks.

Your child can go back to school 24 hours after starting antibiotics.

Slapped cheek syndrome (fifth disease)

You don't need to keep your child off school if they have slapped cheek syndrome because once the rash appears, they're no longer infectious.

If you suspect your child has slapped cheek syndrome, take them to the GP and let their school know if they're diagnosed with it.

Sore throat

You can still send your child to school if they have a sore throat. But if they also have a fever, they should stay at home until it goes away.

Threadworms

You don't need to keep your child off school if they have threadworms. Speak to your pharmacist, who can recommend a treatment.

Vomiting and diarrhoea

Children with vomiting and diarrhea should stay away from school for 2 days after their symptoms have gone.